

Multidisc

Firestop Disc



Product Data Sheet

MULCOL
INTERNATIONAL

Multidisc

Firestop Disc



Fire resistance
≤ 120 minutes



Working life
30 years



Speed
Fast installation

Firestop Disc

The Multidisc is a self-adhesive firestop disc that can be plastically shaped around small penetrations. The Multidisc expands when exposed to heat and creates a fire-resistant and smoke-proof seal to adjacent rooms.

The Multidisc forms part of the Mulcol® Penetration Seal System.

Advantages

- ✓ Fire resistance ≤ 120 minutes
- ✓ CE-certified
- ✓ Simple and fast installation
- ✓ Low installation costs
- ✓ A single solution for penetrations up to (2) 26 mm
- ✓ No waste
- ✓ Environmentally and user-friendly
- ✓ Permanently elastic
- ✓ Working life of 30 years

Applications

- ✓ Rigid walls and floors
- ✓ Flexible walls
- ✓ Firestop boards
- ✓ PVC pipes Ø 25 mm, copper Ø 15mm and steel Ø 17mm
- ✓ Multiple PVC pipes
- ✓ Electric cables, cable bundles up to Ø 26 mm
- ✓ Aluminium composite pipes

Technical data

Colour	Red/brown with a light gray top coat
Application temperature	+5 °C to +30 °C
Temperature resistance	-20 °C to +60 °C
Reaction to fire	Class E in accordance with EN 13501-1

www.mulcol.com

MULCOL
INTERNATIONAL

Packaging

	Dimensions	Box	Outer box	Pallet	Article number
Disc	Ø 65 mm, thickness 3 mm	32 pieces	384 pieces	12,288 pieces	205002065



Technical documents available

- ✓ Product Data Sheet (PDS)
- ✓ Technical Data Sheet (TDS)
- ✓ Safety Data Sheet (SDS)
- ✓ Installation Manual
- ✓ CE certificate

Approvals

- ✓ Tested in accordance with EN 1366-3
- ✓ Classification in accordance with EN 13501-2
- ✓ Certified in accordance with EAD 350454-00-1104
- ✓ ETA report 20/1321
- ✓ Declaration of Performance (DoP)

The above documents are available from your Mulcol contact or via www.mulcol.com



Virtual Reality



Augmented Reality



Mulcol International composed the technical data on this sheet with great care and reserves the right to change product properties without prior notification. The user of this data remains responsible at all times for the correct application thereof. In the event of a lack of clarity or doubt, we recommend consulting Mulcol International to confirm that this data complies with the required application.



