I LOI IIVI	Ed. Nov.10					
ABRI:	PRODUCT	ABRIFOAM				
W W W . A B R I S O	TVDE	20 kg/m³ - 5 mm				
#	PROPRIETE	DIM	NORM	W	AARDE	
1	EIGENSCHAPPEN	Kg/m³	DIN 53420	20	+/-2	
2	DIKTE	mm		5	Nominaal	
3	BREEDTE	mm		150 - 500	+/-20	
4	LENGTE	m		100		
5	MARKERING			TBD		
6	TREKSTERKTE	N/mm²	DIN 53571			
	Longitudinal			0,25		
	Transversaal			0,21		
7	BREUKVERLENGING	%	DIN 53571			
	Longitudinaal			130		
	Transversal			90		
8	R WAARDE	m²°K/W	DIN 52612	0,111		

Ed. Nov.16

TECHNISCHE SPECIFICATIES

WATERABSORPTIE

TEMP.RANGE

WVTR

10

11

All informations concerning this product are offered in good faith and believed to be reliable.

ABRISO however, makes no warranty as to accuracy and/or sufficiency of this information.

Any user of this product is responsible for determining the suitability for its particular application.

24 U

28 dagen

DIN 53428

1,6

< 4

-30 / 70

Vol. %

°C

g/24h/m² DIN 53429

